


Exhibit C


Claim Chart for U.S. Patent No. 10,792,380

PhoneSoap 3 directly infringes claim 1 of U.S. Patent No. 10,792,380 ("the '380 Patent"), and its dependent claims, under 35 U.S.C. § 271(a) as shown in this claim chart, literally and/or under the doctrine of equivalents.

U.S. Patent No. 10,792,380	PhoneSoap 3 ¹
<p>1. An apparatus for sanitizing an object, the apparatus comprising:</p> <p>a housing comprising one or more sidewalls, the housing defining an interior configured to receive the object;</p>	<p>PhoneSoap 3 is an apparatus for sanitizing an object.</p>  <p>PhoneSoap 3 The Original UVC Phone Sanitizer & Charger PhoneSoap 3</p> <p>Housing comprising one or more sidewalls</p> <p>Sidewall</p> <p>Object</p> <p>Interior defined by the housing and configured to receive an object</p> <p>Sidewall</p>

¹ Photographs in this claim chart are taken from <https://www.phonesoap.com/collections/uv-sanitizer/products/phonesoap-3-phone-uv-sanitizer?variant=2941658562583>.

a posterior wall disposed at a posterior end of the housing, the posterior wall extending inwardly from the one or more sidewalls;




a dome disposed at an anterior end of the housing, the dome at least partially defining an anterior opening for access to the interior; and



Anterior opening for access to the interior

Anterior end of the housing

Dome at least partially defining an anterior opening for access to the interior



Anterior end of the housing

one or more sources of germicidal light disposed under the dome.



Source of germicidal light disposed under the dome


Source of germicidal light disposed under the dome



Kills 99.9%*
of germs using
UV-C light



5. The apparatus of claim 1, wherein the one or more sidewalls are generally perpendicular with the posterior wall.



6. The apparatus of claim 1,
wherein said germicidal light
comprises germicidal
ultraviolet (UV) light.




Germicidal light
comprises germicidal
ultraviolet (UV) light


10. The apparatus of claim 1, wherein at least a portion of the housing is rectangular.




At least a portion of the housing is rectangular



12. The apparatus of claim 1, further comprising:
a user-actuable switch configured to selectively couple the one or more sources of germicidal light to a power supply.



Close lid to begin disinfection. Do not force shut.



Plug PhoneSoap 3 into power with provided cord.



Source of germicidal light selectively coupled to power supply



Kills 99.9%*
of germs using
UV-C light

A user actuable switch (closing the lid) is configured to selectively couple the one or more sources of germicidal light to a power supply (begin disinfection).

14. The apparatus of claim 1, further comprising a protective screen disposed between the one or more sources of germicidal light and a portion of the interior, the screen configured to prevent user contact with the one or more sources of germicidal light.



On information and belief PhoneSoap 3 has a protective screen disposed between the one or more sources of germicidal light, which is configured to prevent user contact with the one or more sources of germicidal light.

15. The apparatus of claim 14, wherein the protective screen comprises a material that is transparent or translucent to the germicidal light.

Protective screen
comprises a material that is
transparent or translucent
to the germicidal light



On information and belief PhoneSoap 3 has a protective screen that comprises a material that is transparent or translucent to the germicidal light.

20. The apparatus of claim 1,
wherein the dome comprises a
linear cross-section portion.

The dome comprises a
linear cross-section portion

